



JAVASCRIPT FOR BACKEND DEVELOPERS

Théodore 'nod_' Biadala



#drupaldevdays

wunderkraut 

Smile
OPEN SOURCE SOLUTIONS

adyax

Kaliop
INTERACTIVE MEDIA

ms SYSTEMS

agency
Stratégies & Solutions Web

TRAINED
PEOPLE

Amazee
labs

ASSUMPTIONS

BACKEND OWL

IS IN

CONTROL



FRONTEND FLAMINGO



RUN FROM

CHAOS

You sort of care about frontend

You sort of worry about performance

YOU JUST WANT THING TO WORK



JAVASCRIPT LANDSCAPE

A traditional Japanese garden featuring a central pond, a large gnarled tree on the left, and various colorful flowers like azaleas and hydrangeas. The scene is peaceful and well-maintained.


Sugar Syntax

« Classes »

Harmony

Modules

ANDROID



node JS™





npm is the package manager for **javascript**.



140 568
total packages



56 364 979
downloads in the last day



303 654 692
downloads in the last week



1 236 615 453
downloads in the last month

BUZZ
WORD
BINGO

The image features three words stacked vertically on a light green background. The top word is 'BUZZ', with 'B' in green, 'U' in purple, 'Z' in blue, and 'Z' in orange. The middle word is 'WORD', with 'W' in orange, 'O' in a blue speech bubble, 'R' in purple, and 'D' in green. The bottom word is 'BINGO', with 'B' in purple, 'I' in blue, 'N' in yellow, 'G' in orange, and 'O' in orange. All letters are bold and have a slight shadow effect.


**AMD
CommonJS**

UglifyJS

Isomorphic



PITFALLS

An aerial photograph of a small village covered in snow, with a large, dark crater in the center. The image is overlaid with several text boxes containing programming-related terms. The background shows a dense forest of evergreen trees surrounding the village.

Variable scope

Callback hell

Types

'use strict';

« Associative arrays »

BEHAVIORS

```
Drupal.behaviors.initializeFlamingo = {
```

```
  attach : function (context, settings) {
```

```
  },
```

```
  detach : function (context, settings, trigger) {}
```

```
};
```



context (page load)

Roles

- Anonymous user
- Authenticated user
- Administrator

Text editor

CKEditor

context (after ajax call)

Toolbar configuration

Move a button into the *Active toolbar* to enable it, or into the list of *Available buttons* to disable it. Buttons may be moved with the mouse or keyboard arrow keys. Toolbar group names are provided to support screen reader users. Empty toolbar groups will be removed upon save.

Available buttons



Button divider

Active toolbar



Show group names

CKEditor plugin settings

Image

Uploads disabled

Enable image uploads

Enabled filters

ONCE

// In the attach function.

```
var $burgers = $(context).find('.burger');
```

// Salt to my burger(s).

```
$burgers.each(saltThisBurger);
```

// Don't add salt at every ajax request !

```
$burgers.once('salt').each(saltThisBurger);
```

Roles

- Anonymous user
- Authenticated user
- Administrator

Text editor

CKEditor

Toolbar configuration

Move a button into the *Active toolbar* to enable it, or into the list of *Available buttons* to disable it. Buttons may be moved with the mouse or keyboard arrow keys. Toolbar group names are provided to support screen reader users. Empty toolbar groups will be removed upon save.

once

Available buttons



Button divider

Active toolbar

Show group names

CKEditor plugin settings

Image

Uploads disabled

Enable image uploads

Enabled filters

PERFORMANCE WOLVES



**Javascript performance,
Don't worry**






DOM Performance

A close-up photograph of a wolf with grey and brown fur, baring its teeth in a growl. A white rope is tied around its neck. The background is a blurred natural setting.

**Repaint
&
Reflow**

WOLF-RESISTANT TOOLS



UNDERSCORE.JS



BACKBONE.JS

 **jQuery**
write less, do more.

QUESTIONS?

Théodore BIADALA

@nod_

theodore@biadala.net



The problem with Angular

— ppk